

Applications of Integration – Formula Sheet:

Area under the Curve: $A = \sum_{i=1}^n f(x_i) \Delta x \quad \Delta x = \frac{b-a}{n}$ $A = \int_a^b f(x) dx \quad \text{Interval} \rightarrow [a, b]$	Antiderivatives: $F'(x) = f(x)$ $\int f(x) dx = F(x) + C$
Summation Formulas: $\sum_{i=1}^n c = cn \quad \sum_{i=1}^n i = \frac{n(n+1)}{2}$ $\sum_{i=1}^n i^2 = \frac{n(n+1)(2n+1)}{6}$ $\sum_{i=1}^n i^3 = \left[\frac{n(n+1)}{2} \right]^2$	Rectilinear Motion: $v(t) = s'(t)$ $a(t) = v'(t)$ $\int v(t) dt = s(t) + C$ $\int a(t) dt = v(t) + C$
Summation Formulas: $\sum_{i=1}^n i^4 = \frac{6n^5 + 15n^4 + 10n^3 - n}{30}$	Definition of the Definite Integral: $\int_a^b f(x) dx = \lim_{n \rightarrow \infty} \sum_{i=1}^n f(x_i) \Delta x$
Summation Formulas: $\sum_{i=1}^n i^5 = \frac{2n^6 + 6n^5 + 5n^4 - n^2}{12}$	Evaluating Definite Integrals: $\int_a^b f(x) dx = F(b) - F(a)$
Area – Riemann Sums: (Left, Right, & Midpoint) $A_L = \Delta x [f(x_0) + f(x_1) + f(x_2) + \dots + f(x_{n-1})]$ $A_M = \Delta x [f(x_{0.5}) + f(x_{1.5}) + f(x_{2.5}) + f(x_{n-0.5})]$ $A_R = \Delta x [f(x_1) + f(x_2) + f(x_3) + \dots + f(x_n)]$ $\Delta x = \frac{b-a}{n}$	Properties of Definite Integrals: $\int_a^b f(x) dx = - \int_b^a f(x) dx$ $\int_a^a f(x) dx = 0 \quad \int_a^b c dx = c(b-a)$ $\int_a^b f(x) dx + \int_b^c f(x) dx = \int_a^c f(x) dx$

Area – Trapezoidal Rule: (Approximate Integration)

$$T_n = \frac{\Delta x}{2} [f(x_0) + 2f(x_1) + 2f(x_2) + 2f(x_3) + \dots + 2f(x_{n-1}) + f(x_n)]$$

$$\text{Area} = \int_a^b f(x) dx \approx T_n \quad \Delta x = \frac{b-a}{n} \quad x_i = a + i\Delta x$$

Area – Simpson's Rule: (Approximate Integration)

$$S_n = \frac{\Delta x}{3} [f(x_0) + 4f(x_1) + 2f(x_2) + 4f(x_3) + \dots + 2f(x_{n-2}) + 4f(x_{n-1}) + f(x_n)]$$

$$n \rightarrow \text{even} \quad \Delta x = \frac{b-a}{n}$$

Error Bounds – Trapezoidal & Midpoint: $|f''(x)| \leq K$

$$|E_T| \leq \frac{K(b-a)^3}{12n^2} \quad |E_M| \leq \frac{K(b-a)^3}{24n^2}$$

Error Bounds – Simpson's Rule:

$$|E_S| \leq \frac{K(b-a)^5}{180n^4} \quad |f^{(4)}(x)| \leq K \text{ on } [a, b]$$

Integral of Even Functions:

$$f(-x) = f(x)$$

$$\int_{-a}^a f(x) dx = 2 \int_0^a f(x) dx$$

Fundamental Theorem of Calculus – Part 1:

$$g(x) = \int_a^x f(t) dt \quad g'(x) = f(x)$$

$$\frac{d}{dx} \int_a^x f(t) dt = f(x)$$

Integral of Odd Functions:

$$f(-x) = -f(x) \quad \int_{-a}^a f(x) dx = 0$$

If $f(x)$ is continuous on the interval $[a, b]$, then $g(x)$ is continuous on the closed interval $[a, b]$ and differentiable on the open interval (a, b) .

Natural Log defined as an integral:

$$\ln(x) = \int_1^x \frac{1}{t} dt \quad x > 0$$

Fundamental Theorem of Calculus – Part 2:

$$\int_a^b f(x) dx = F(b) - F(a)$$

U-Substitution:



$$\int f[g(x)] \cdot g'(x) dx = \int f(u) du \quad u = g(x)$$

$$\int_a^b f[g(x)] g'(x) dx = \int_{g(a)}^{g(b)} f(u) du$$

Net Change Theorem:



$$\int_a^b F'(x) dx = F(b) - F(a)$$

$$\int_a^b V'(t) dt = V(b) - V(a)$$

Area Between Curves:**Area Between Curves:**



$$A = \int_a^b [f(x) - g(x)] dx \quad (\text{top} - \text{bottom})$$

$$A = \int_c^d [f(y) - g(y)] dy \quad (\text{right} - \text{left})$$

Disk Method:**Disk Method:**



$$V = \pi \int_a^b R^2(x) dx$$

$$V = \pi \int_c^d R^2(y) dy$$

Washer Method:**Washer Method:**

$$V = \pi \int_a^b [R_o^2(x) - R_i^2(x)] dx$$

$$V = \pi \int_c^d [R_o^2(y) - R_i^2(y)] dy$$

Shell Method:**Shell Method:**

$$V = 2\pi \int_a^b R(x) h(x) dx$$

$$V = 2\pi \int_c^d R(y) h(y) dy$$

Improper Integrals:

$$\int_a^{\infty} f(x) dx = \lim_{t \rightarrow \infty} \int_a^t f(x) dx$$

$$\int_{-\infty}^b f(x) dx = \lim_{t \rightarrow -\infty} \int_t^b f(x) dx$$

Volume by Cross Sections:

$$V = \int_a^b A(x) dx \quad cs \perp x - \text{axis}$$

$$V = \int_c^d A(y) dy \quad cs \perp y - \text{axis}$$

<p>Work done by a Force:</p> $W = Fd \quad W = \int_a^b F(x) dx$ <p>Note: F(x) is a function of force with respect to position.</p>	<p>Arc Length:</p> $L = \int_a^b \sqrt{1 + [f'(x)]^2} dx \quad L = \int_a^b \sqrt{1 + \left(\frac{dy}{dx}\right)^2} dx$ $L = \int_c^d \sqrt{1 + [g'(y)]^2} dy \quad L = \int_c^d \sqrt{1 + \left(\frac{dx}{dy}\right)^2} dy$
<p>Gravitational Force:</p> $F = mg \quad F = \frac{GM_1M_2}{R^2}$ <p>Restoring Force of Springs – Hooke's Law:</p> $F(x) = -kx$	<p>Area of a Surface of Revolution:</p> $S = 2\pi \int_a^b f(x) \sqrt{1 + [f'(x)]^2} dx$ $S = 2\pi \int_a^b y \sqrt{1 + \left(\frac{dy}{dx}\right)^2} dx$
<p>Work required to pump water out of a tank:</p> $W = pg \int_a^b V(x) D(x) dx$ <p>Density of Water:</p> $p_{H2O} = 62.5 \text{ lbs}/ft^3 = 1000 \text{ kg}/m^3$	<p>Area of a Surface of Revolution:</p> $S = 2\pi \int_c^d g(y) \sqrt{1 + [g'(y)]^2} dy$ $S = 2\pi \int_c^d x \sqrt{1 + \left(\frac{dx}{dy}\right)^2} dy$
<p>Work done by an expanding gas:</p> $W = \int_{V_1}^{V_2} P dV$	<p>Average Value of a function:</p> $f_{ave} = \frac{1}{b-a} \int_a^b f(x) dx$
<p>Mean Value Theorem for Integrals:</p>	<p>Mean Value Theorem for Integrals:</p> $\int_a^b f(x) dx = f(c)(b-a)$ $A_{curve} = A_{rectangle}$ $Width = b - a \quad Height = f(c)$ $f(c) = f_{ave}$